



ARCHITECTURE


DOORS, WINDOWS, PARTITIONS AND GLAZINGS



Section No.	A	B	T	Weight kg /m.	Weight kg /3.658 M. (Per 12')	Cat.
30.010	45.30	22.00	0.80	0.218	0.800	3
30.011	45.30	22.00	1.05	0.273	1.000	4
30.012	45.30	22.00	1.50	0.328	1.200	4




Section No.	A	B	T	Weight kg /m.	Weight kg /3.658 M. (Per 12')	Cat.
30.013	67.00	23.10	1.00	0.464	1.700	4
30.014	63.60	25.20	0.98	0.355	1.300	3
30.015	63.60	25.20	1.13	0.409	1.500	4




Section No.	A	B	C	T	Weight kg /m.	Weight kg /3.658 M. (Per 12')	Cat.
30.016	40.00	18.00	11.00	1.08	0.355	1.300	3
30.017	40.00	18.00	11.00	1.15	0.382	1.400	3
30.018	40.00	18.00	11.00	1.30	0.437	1.600	3
30.019	40.00	18.00	11.00	1.50	0.491	1.800	4
30.020	40.00	18.00	11.00	1.67	0.546	2.000	4
30.157	40.00	18.00	11.00	1.82	0.600	2.200	4
30.158	40.00	18.00	11.00	2.00	0.656	2.400	4
30.203	40.00	18.00	11.00	0.75	0.300	1.100	3
30.250	40.00	18.00	11.00	0.58	0.232	0.850	10

ARCHITECTURE


DOORS, WINDOWS, PARTITIONS AND GLAZINGS



Section No.	A	B	C	T	Weight kg /m.	Weight kg /3.658 M. (Per 12')	Cat.
30.021	40.00	18.00	11.00	1.15	0.355	1.300	3
30.022	40.00	18.00	11.00	1.25	0.383	1.400	3
30.023	40.00	18.00	11.00	1.42	0.437	1.600	3
30.024	40.00	18.00	11.00	1.60	0.491	1.800	4
30.025	40.00	18.00	11.00	1.77	0.546	2.000	4
30.159	40.00	18.00	11.00	1.92	0.600	2.200	4
30.160	40.00	18.00	11.00	2.07	0.656	2.400	4
30.204	40.00	18.00	11.00	0.75	0.300	1.100	3
30.251	40.00	18.00	11.00	0.58	0.232	0.850	10



Section No.	A	B	C	T	Weight kg /m.	Weight kg /3.658 M. (Per 12')	Cat.
30.026	40.00	18.00	10.00	0.82	0.355	1.300	3
30.027	40.00	18.00	10.00	0.95	0.410	1.500	3
30.028	40.00	18.00	10.00	1.07	0.464	1.700	3
30.029	40.00	18.00	10.00	1.14	0.491	1.800	4
30.030	40.00	18.00	10.00	1.25	0.547	2.000	4
30.161	40.00	18.00	10.00	1.36	0.600	2.200	4
30.162	40.00	18.00	10.00	1.47	0.656	2.400	4
30.258	40.00	18.00	10.00	0.75	0.328	1.200	10
30.292	40.00	18.00	10.00	2.00	0.874	3.200	4




Section No.	A	B	C	T	Weight kg /m.	Weight kg /3.658 M. (Per 12')	Cat.
30.031	48.00	18.00	10.00	1.00	0.410	1.500	3
30.032	48.00	18.00	10.00	1.11	0.464	1.700	3
30.033	48.00	18.00	10.00	1.24	0.519	1.900	4
30.034	48.00	18.00	10.00	1.31	0.546	2.000	4


ARCHITECTURE

DOORS, WINDOWS, PARTITIONS AND GLAZINGS


Section No.	A	B	C	T	Weight kg /m.	Weight kg /3.658 M. (Per 12')	Cat.
30.035	61.00	31.20	20.00	0.88	0.437	1.600	10
30.036	61.00	31.20	20.00	0.99	0.491	1.800	3
30.037	61.00	31.20	20.00	1.10	0.546	2.000	4
30.038	61.00	31.20	20.00	1.21	0.601	2.200	4
30.255	61.00	31.20	20.00	0.80	0.396	1.450	2
30.264	61.00	31.20	20.00	1.60	0.765	2.800	3
30.288	61.00	31.20	20.00	2.00	0.984	3.600	4
30.317	61.00	31.20	20.00	0.75	0.342	1.250	2
30.299	61.00	31.20	20.00	0.90	0.383	1.400	3



Section No.	A	B	C	T	Weight kg /m.	Weight kg /3.658 M. (Per 12')	Cat.
30.039	61.00	31.20	20.00	0.90	0.491	1.800	3
30.040	61.00	31.20	20.00	1.00	0.546	2.000	3
30.041	61.00	31.20	20.00	1.10	0.601	2.200	4
30.042	61.00	31.20	20.00	1.15	0.628	2.300	4
30.256	61.00	31.20	20.00	0.95	0.519	1.900	3
30.265	61.00	31.20	20.00	1.60	0.820	3.000	3
30.289	61.00	31.20	20.00	2.00	1.093	4.000	4
30.310	61.00	31.20	20.00	0.75	0.424	1.550	2
30.300	61.00	31.20	20.00	0.90	0.410	1.500	3




Section No. : 30.318
 Weight : 1.094 Kg/m.
 Weight : 4.000 Kg/3.658 m. (12')
 Cat. : 3




Section No. : 30.319
 Weight : 1.577 Kg/m.
 Weight : 5.770 Kg/3.658 m. (12')
 Cat. : 3

ARCHITECTURE

DOORS, WINDOWS, PARTITIONS AND GLAZINGS




Section No.	A	B	C	T	Weight kg /m.	Weight kg /3.658 M. (Per 12')	Cat.
30.043	92.00	31.20	20.00	0.98	0.655	2.400	3
30.044	92.00	31.20	20.00	1.12	0.738	2.700	4
30.045	92.00	31.20	20.00	1.18	0.792	2.900	4
30.046	92.00	31.20	20.00	1.30	0.874	3.200	4
30.047	92.00	31.20	20.00	1.38	0.929	3.400	4
30.259	92.00	31.20	20.00	0.79	0.574	2.100	2
30.290	92.00	31.20	20.00	2.00	1.339	4.900	4
30.315	92.00	31.20	20.00	0.70	0.492	1.800	2
30.327	92.00	31.20	20.00	1.55	1.093	4.000	4




Section No.	A	B	C	T	Weight kg /m.	Weight kg /3.658 M. (Per 12')	Cat.
30.048	92.00	31.20	20.00	0.82	0.710	2.600	3
30.049	92.00	31.20	20.00	0.88	0.765	2.800	3
30.050	92.00	31.20	20.00	0.95	0.820	3.000	3
30.051	92.00	31.20	20.00	1.01	0.874	3.200	4
30.052	92.00	31.20	20.00	1.10	0.929	3.400	4
30.260	92.00	31.20	20.00	0.70	0.601	2.200	2
30.291	92.00	31.20	20.00	2.00	1.694	6.300	4
30.316	92.00	31.20	20.00	0.65	0.533	1.950	2
30.328	92.00	31.20	20.00	1.50	1.312	4.800	4

ARCHITECTURE


DOORS, WINDOWS, PARTITIONS AND GLAZINGS



Section No.	A	B	T	Weight kg /m.	Weight kg /3.658 M. (Per 12')	Cat.
30.053	44.50	47.00	1.22	0.683	2.500	3
30.173	44.50	47.00	1.31	0.738	2.700	3
30.054	44.50	47.00	1.36	0.765	2.800	3
30.055	44.50	47.00	1.46	0.820	3.000	3
30.174	44.50	47.00	1.58	0.874	3.200	4
30.056	44.50	47.00	1.66	0.929	3.400	4
30.057	44.50	47.00	1.85	1.038	3.800	4
30.175	44.50	47.00	2.00	1.093	4.000	4
30.142	44.50	83.50	1.50	1.121	4.100	4
30.143	44.50	83.50	2.00	1.448	5.300	4
30.279	44.50	83.50	3.00	2.132	7.800	3




Section No.	A	B	T	Weight kg /m.	Weight kg /3.658 M. (Per 12')	Cat.
30.147	44.50	47.00	1.20	0.547	2.000	3
30.058	44.50	47.00	1.34	0.683	2.500	3
30.176	44.50	47.00	1.45	0.738	2.700	3
30.059	44.50	47.00	1.60	0.820	3.000	4
30.177	44.50	47.00	1.73	0.874	3.200	4
30.060	44.50	47.00	1.88	0.957	3.500	4
30.061	44.50	47.00	2.03	1.038	3.800	4
30.062	44.50	47.00	2.30	1.175	4.300	4



Section No.	A	B	T	Weight kg /m.	Weight kg /3.658 M. (Per 12')	Cat.
30.180	44.50	86.00	1.20	0.874	3.200	3
30.189	44.50	86.00	1.32	0.902	3.300	3
30.284	44.50	86.00	3.00	2.055	7.520	3
30.198	44.50	114.00	1.30	1.148	4.200	3
30.191	44.50	114.00	1.41	1.189	4.350	3
30.263	44.50	114.00	2.00	1.750	6.400	3
30.276	44.50	114.00	3.00	2.537	9.280	3

ARCHITECTURE


DOORS, WINDOWS, PARTITIONS AND GLAZINGS



Section No.	A	B	T	Weight kg /m.	Weight kg /3.658 M. (Per 12)	Cat.
30.132	50.00	25.00	1.07	0.492	1.800	3
30.070	50.00	25.00	1.30	0.574	2.100	3
30.248	63.00	37.00	0.74	0.451	1.650	9
30.213	63.00	37.00	0.80	0.492	1.800	9
30.215	63.00	37.00	0.92	0.519	1.900	9
30.063	63.00	37.00	0.98	0.546	2.000	3
30.064	63.00	37.00	1.03	0.574	2.100	3
30.065	63.00	37.00	1.08	0.601	2.200	3
30.066	63.00	37.00	1.13	0.628	2.300	3
30.165	63.00	37.00	1.14	0.656	2.400	3
30.067	63.00	37.00	1.23	0.683	2.500	3
30.068	63.00	37.00	1.33	0.738	2.700	3
30.166	63.00	37.00	1.35	0.765	2.800	3
30.069	63.00	37.00	1.48	0.820	3.000	4
30.167	63.00	37.00	1.55	0.874	3.200	4
30.150	63.00	37.00	1.81	1.027	3.760	4
30.135	66.50	37.00	1.88	1.066	3.900	4
30.168	63.00	37.00	1.94	1.093	4.000	4
30.151	63.00	37.00	2.30	1.202	4.400	4
30.183	63.00	38.00	3.00	1.612	5.900	4
30.192	101.50	45.00	1.37	1.093	4.000	3
30.196	101.50	45.00	3.00	2.350	8.600	4
30.253	101.50	45.00	2.00	1.612	5.900	3

ARCHITECTURE


DOORS, WINDOWS, PARTITIONS AND GLAZINGS




Section No.	A	B	T	Weight kg /m.	Weight kg /3.658 M. (Per 12')	Cat.
30.133	50.00	25.00	1.40	0.574	2.100	3
30.249	63.00	38.00	0.70	0.464	1.700	9
30.212	63.00	37.00	0.75	0.492	1.800	2
30.214	63.00	37.00	0.80	0.519	1.900	9
30.071	63.00	37.00	0.83	0.546	2.000	3
30.072	63.00	37.00	0.86	0.574	2.100	3
30.073	63.00	37.00	0.90	0.601	2.200	3
30.074	63.00	37.00	0.94	0.628	2.300	3
30.169	63.00	37.00	1.00	0.656	2.400	3
30.075	63.00	37.00	1.06	0.683	2.500	3
30.076	63.00	37.00	1.13	0.738	2.700	3
30.170	63.00	37.00	1.19	0.765	2.800	3
30.145	63.00	37.00	1.37	0.847	3.100	4
30.171	63.00	37.00	1.43	0.874	3.200	4
30.077	63.00	37.00	1.61	0.957	3.500	4
30.078	63.00	37.00	1.67	0.984	3.600	4
30.172	63.00	37.00	1.85	1.093	4.000	4
30.144	63.00	37.00	1.90	1.148	4.200	4
30.134	66.50	37.00	2.00	1.165	4.260	4
30.152	63.00	37.00	1.96	1.202	4.400	4
30.184	63.00	38.00	3.00	1.687	6.175	4
30.193	101.50	45.00	1.31	1.093	4.000	3
30.197	101.50	45.00	3.06	2.405	8.800	4
30.254	101.50	45.00	2.00	1.694	6.200	3
30.283	101.50	45.00	2.50	2.072	7.580	3

ARCHITECTURE


DOORS, WINDOWS, PARTITIONS AND GLAZINGS




Section No.	A	B	T	Weight kg /m.	Weight kg /3.658 M. (Per 12)	Cat.
30.079	35.10	15.30	1.50	0.261	0.960	5
30.080	35.49	15.47	1.30	0.219	0.800	5
30.081	35.49	15.47	1.20	0.205	0.750	5




Section No. : 30.252
 Weight : 2.788 kg/m.
 Weight : 10.200 kg/3.658 m. (12')
 Cat. : 3



Section No. : 30.282
 Weight : 2.337 kg/m.
 Weight : 8.550 kg/3.658 m. (12')
 Cat. : 3



Section No. : 30.307
 Weight : 0.705 kg/m.
 Weight : 2.580 kg/m.3.658 m. (12')
 Cat. : 2



Section No. : 30.308
 Weight : 1.678 kg/m.
 Weight : 6.140kg/m.3.658 m. (12')
 Cat. : 2